

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (currently amended)      A mobile terminal apparatus, comprising:  
  
a contactless IC (integrated circuit) device for use in communicating with external equipment by radio waves, and accumulating authentication information from a higher-level apparatus; and  
  
control means for enabling or disabling specified functions of the mobile terminal apparatus according to information received from the external equipment through the contactless IC device.
  
2. (original)      The mobile terminal apparatus according to claim 1, wherein  
  
the external equipment is a reader/writer capable of reading and writing information from and to the contactless IC device.
  
3. (currently amended)      The mobile terminal apparatus according to claim 1,  
  
wherein  
  
the mobile terminal apparatus has a plurality of modes in each of which the respective ~~enabled/disabled state~~ enabled and disabled states of the specified functions is set in advance, the

contactless IC device performs communications with the external equipment about a mode, and the control means enables or disables the specified functions according to the mode specified by the external equipment.

4. (original) The mobile terminal apparatus according to claim 1, wherein the specified functions include at least a power supply function, a sound volume function, a vibration function, and an offline function.

5. (original) The mobile terminal apparatus according to claim 1, wherein the higher-level apparatus is a ticket issue server for issuing ticket information for use in authenticating an admission into an institution.

6. (original) The mobile terminal apparatus according to claim 1, wherein the higher-level apparatus is a certificate authority for issuing an electronic certificate.

7. (currently amended) A mobile terminal settings changing system, comprising:  
a higher-level apparatus for issuing authentication information;  
a mobile terminal apparatus comprising a contactless IC (integrated circuit) device for accumulating the authentication information from the higher-level apparatus, and control means for enabling or disabling specified functions of the mobile terminal apparatus according to information received through the contactless IC device; and

external equipment for communicating with the contactless IC device by radio waves, and transmitting the information to the contactless IC device after checking the authentication information received from the contactless IC device.

8. (original) The mobile terminal settings changing system according to claim 7, wherein

the external equipment is a reader/writer capable of reading and writing information from and to the contactless IC device.

9. (currently amended) The mobile terminal settings changing system according to claim 7, wherein

the mobile terminal apparatus has a plurality of modes in each of which the respective ~~enabled/disabled state~~ enabled and disabled states of the specified functions is set in advance, the external equipment performs communications with the contactless IC device about a mode after checking the authentication information, and the control means enables or disables the specified functions according to the mode specified by the external equipment.

10. (original) The mobile terminal settings changing system according to claim 7, wherein

the specified functions include at least a power supply function, a sound volume function, a vibration function, and an offline function.

11. (original) The mobile terminal settings changing system according to claim 7,  
wherein  
the higher-level apparatus is a ticket issue server for issuing ticket information for use in  
authenticating an admission into an institution.

12. (original) The mobile terminal settings changing system according to claim 7,  
wherein  
the higher-level apparatus is a certificate authority for issuing an electronic certificate.

13. (original) A mobile terminal settings changing method, comprising the steps of:  
receiving information from external equipment through a contactless IC (integrated  
circuit) device stored in a mobile terminal apparatus for use in communicating with the external  
equipment by radio waves, and accumulating authentication information from a higher-level  
apparatus; and  
enabling or disabling specified functions of the mobile terminal apparatus according to  
the received information.

14. (original) The mobile terminal settings changing method according to claim 13,  
wherein  
the external equipment is a reader/writer capable of reading and writing information from  
and to the contactless IC device.

15. (currently amended) The mobile terminal settings changing method according to claim 13, wherein

the mobile terminal apparatus has a plurality of modes in each of which the respective ~~enabled/disabled state~~ enabled and disabled states of the specified functions is set in advance, the contactless IC device performs communications with the external equipment about a mode, and the specified functions are enabled or disabled according to the mode specified by the external equipment.

16. (original) The mobile terminal settings changing method according to claim 13, wherein

the specified functions include at least a power supply function, a sound volume function, a vibration function, and an offline function.

17. (original) The mobile terminal settings changing method according to claim 13, wherein

the higher-level apparatus is a ticket issue server for issuing ticket information for use in authenticating an admission into an institution.

18. (original) The mobile terminal settings changing method according to claim 13, wherein

the higher-level apparatus is a certificate authority for issuing an electronic certificate.

19. (previously presented) A computer-readable medium containing a program used to direct a computer to perform the processes of:

receiving information from external equipment through a contactless IC (integrated circuit) device stored in a mobile terminal apparatus for use in communicating with the external equipment by radio waves, and accumulating authentication information from a higher-level apparatus; and

enabling or disabling specified functions of the mobile terminal apparatus according to the received information.